

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6




FIG. 7A





FIG. 7B

$\varnothing 1.3242$



$\varnothing 1.8727$





FIG. 8A

FIG. 8B

$\varnothing 2.6484$



$\varnothing 3.7454$





FIG. 8C

FIG. 8D

$\varnothing 0.9594$



$\varnothing 1.3568$





FIG. 8E

FIG. 8F

$\varnothing 1.9188$



$\varnothing 2.7136$




FIG. 8G

FIG. 8H




FIG. 9A




FIG. 9B




FIG. 9C




FIG. 9D




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11A




FIG. 11B




FIG. 11C




FIG. 12






FIG. 13
(Prior Art)




Grayscale image of paste
using "white" light source.

FIG. 14




Weighted paste-only image
via unique texture-based method.

FIG. 15



RGB image of UV enhanced
Fluorescent paste.

FIG. 16



Binary paste-only image from blue channel
Via single threshold method.

FIG. 17




FIG. 18

FIG. 19A

Solder Mask is
High and to the
Right




FIG. 19A

FIG. 19A




FIG. 19B




FIG. 19C




FIG. 20C

FIG. 20B

FIG. 20A




FIG. 21




FIG. 22




FIG. 23C





FIG. 23A FIG. 23B








FIG. 24D

FIG. 24D

FIG. 24C

FIG. 24B

FIG. 24A





FIG. 25A FIG. 25B

FIG. 25C




FIG. 26




FIG. 27




FIG. 28





FIG. 29






FIG. 31